REFERENCES

1. Akhtar MI et.al. (2009) Success and failure of fast track extubation in cardiac surgery patients of tertiary care hospital: one year audit. J Pak Med Assoc. 2009 Mar;59(3):154-6.
2. Akhtar M I, et al (2016).Fast Track Extubation In Adult Patients On Pump Open Heart Surgery At A Tertiary Care Hospital.*J Ayub Med Coll Abbottabad*;28(4):639-643.
3. Anna L (2013**).** Fast-Track Failure After Cardiac Surgery: External Model Validation and Implications to ICU Bed Utilization*. Crit Care Med*;41:1205–1213.
4. Bainbridge D, et al. (2015). Early extubation and fast-track management of off-pump cardiac patients in the intensive care unit.*SeminCardiothoracVasc Anesth.*;19(2): 163-168. doi: 10.1177/1089253215584919.
5. Bjerregaard L S *(*2015).Incidence of and risk factors for postoperative urinary retention in fast-track hip and knee arthroplasty A prospective, observational study. *Acta Orthopaedica;* 86 (2): 183–188.
6. Cassina T et al(2016). Hemodynamic challenge to early mobilization after cardiac surgery: A pilot study. *Ann Card Anaesth*.;19(3):425-32.
7. Dexter F et.al.(1995) Decreases in anesthesia-controlled time cannot permit one additional surgical operation to be scheduled during the workday. *AnesthAnalg*. 1995;81:1263–1268.
8. Gebhard W (2011). The Surgical Procedure Assessment (SPA) score predicts intensive care unit length of stay after cardiac surgery. *J Thorac Cardiovasc Surg*;142: 443-450.
9. GIodice F, et al. (2011). Analgesia in fast-track paediatric cardiac patients.*Eur J CardiothoracSurg*;40(3):610-3. doi: 10.1016/j.ejcts.2010.12.032.
10. Groesdonk H V (2010). The incidence of intraoperative awareness in cardiac surgery fast-track treatment. *J CardiothoracVasc Anesth.;*24(5):785-789.

11. HaanschotenMarco C. (2012). Fast-track practice in cardiac surgery: results and predictors of outcome.*Interactive CardioVascular and Thoracic Surgery;* 15:989–994.
12. Häntschel D, et.al.(2009). Leipzig fast-track protocol for cardio-anesthesia. Effective, safe and economical.*Anaesthesist;*58(4):379-86. doi:10.1007/s00101-009-1508-1.
13. Heller JA (2017).Surgery Start Time Does Not Impact Outcome in Elective Cardiac Surgery. *J CardiothoracVascAnesth.*;31(1): 32-36.
14. Irfan A M et.al.(2009).Success and failure of Fast Track Extubation in cardiac surgery patients of tertiary care hospital: One year audit. *JPMA*; 59:154.
15. Karaman Y , et al. (2015). Effects of dexmedetomidine and propofol on sedation in patients after coronary artery bypass graft surgery in a fast-track recovery room setting. *J Anesth.;* 29(4): 522-528. doi: 10.1007/s00540-015-1975-2.
16. Khanykin B, et al. (2013). Heart Surg ForumComparison of remifentanil and low-dose fentanyl for fast-track cardiac anesthesia: a prospective randomized study. *Heart Surg Forum*;16(6): 324-328. doi: 10.1532/HSF98.2013229.
17. Lene K (2014). Cognitive Dysfunction After Fast-Track Hip and Knee Replacement. *Anesth Analg*;118:1034–40.
18. McGrath Bet.al. (2003) Postoperative recovery and dischargeAnesthesiolClin North America. Jun;21(2):367-86.
19. Nesković V et al. (2010). *Early extubation in cardiac surgery. Med Pregl;*63(3-4):183-7.
20. Ott RA et.al.(2000)AJ Card Surg. Simplified Parsonnet risk scale identifies limits to early patient discharge. Sep-Oct;15(5):316-22.
21. Paarmann H et al. (2012). Low preoperative cerebral oxygen saturation is associated with longer time to extubation during fast-track cardiac anaesthesia.*Interact Cardiovasc Thorac Surg*.;15(3): 400-405.
22. Pouya Y (2015).Predictors of Failure in Fast-Track Cardiac Surge. *Journal of Cardiothoracic and Vascular Anesthesia;*29(6):1466–147.
23. R. Allvin (2008) Experiences of the Postoperative Recovery Process: An Interview Study. *The Open Nursing Journal,* 2008, *2,* 1-7.

24. Rizal A H (2014).Postoperative Issues Discharge Criteria. *Anesthesiology Clin*; 32: 487–493.
25. Savage LS et.al.(1999) Telephone monitoring after early discharge for cardiac surgery patients Am J Crit Care. May;8(3):154-9.
26. Salhiyyah K, et al.(2011). A clinical and economic evaluation of fast-track recovery after cardiac surgery. *Heart Surg Forum.;* 14(6): 330-334. doi: 10.1532/HSF98.20111029.
27. Scott S R,Whitma G J R (2015). Critical Care Medicine, Postoperative Critical Care of the Adult Cardiac Surgical Patient. Part I: Routine Postoperative Care.*Crit Care Med;* 43:1477–1497*.*
28. Silva P S, et al. (2015). Evaluation of the influence of pulmonary hypertension in ultra- fast-track anesthesia technique in adult patients undergoing cardiac surgery. *Rev Bras Cir Cardiovasc.*;30(4):449-58. doi: 10.5935/1678-9741.20150042
29. Sostaric M et al., (2010). Heart SurgForumEarly extubation and fast-track anesthetic technique for endoscopic cardiac surgery.*Heart Surg Forum*; 13(3): 190-194. doi: 10.1532/HSF98.20091151.
30. Stenger J M et al. (2013).High thoracic epidural analgesia as an adjunct to general anesthesia is associated with better outcome in low-to-moderate risk cardiac surgery patients. *CardiothoracVascAnesth.*; 27(6): 1301-1309.
31. Singh B S J (2016). Changing Anesthesia Trends In Cardio-thoracic Surgeries: A Fast Changing Perspective. *Anaesthesia, Pain & Intensive Care.2016;20Suppl 1:S136-S139*
32. Sullivan B L (2012). Con: early extubation in the operating room following cardiac surgery. *SeminCardiothoracVascAnesth.*;16(4):187-189. doi: 10.1177/1089253212452343.
33. Svircevic V et.al.(2009) Fast-track anesthesia and cardiac surgery: a retrospective cohort study of 7989 patients. AnesthAnalg. 2009 Mar;108(3):727-33.
34. Tarola CL (2017). Ultrafast Track Robotic-Assisted Minimally Invasive Coronary Artery Surgical Revascularization. *Innovations (Phila)*;12(5): 346-350.

35. Villafranca A (2013). The impact of bispectral index versus end-tidal anesthetic concentration-guided anesthesia on time to tracheal extubation in fast-track cardiac surgery. *AnesthAnalg.*;116(3): 541-548.
36. Waseem Z **(**2015**).** Independent Risk Factors for Fast-Track Failure Using a Predefined Fast-Track Protocol in Preselected Cardiac Surgery Patients. *Journal of Cardiothoracic and Vascular Anesthesia*; 29(6):1461–146.
37. Watanabe G, et al. (2011). Awake coronary artery bypass grafting under thoracic epidural anesthesia: great impact on off-pump coronary revascularization and fast-track recovery. *Eur J CardiothoracSurg*; 40(4): 788-793. doi: 10.1016/j.ejcts.2011.01.034.
38. Zayat R, et al. (2017). Benefits of ultra-fast-track anesthesia in left ventricular assist device implantation: a retrospective, propensity score matched cohort study of a four-year single center experience**.** *J Cardiothorac Surg.*;12(1):10. doi: 10.1186/s13019-017-0573-9
39. Zhu F, et al. (2015). A randomized controlled trial of adaptive support ventilation mode to wean patients after fast-track cardiac valvular surgery. *Anesthesiology* ;122(4):832-840. doi: 10.1097/ALN.0000000000000589.